

# Magnetism TMAG

## Carpet Tiles • Mainstreet Tiles - Nyluxe

### Benefits

<b>Safe and healthy</b>	<p>Green Label Plus certified ensuring that you are purchasing the very lowest VOC-emitting products on the market</p> <p>Improves indoor air quality by trapping particles, removing them from the breathing zone and reducing their circulation</p> <p>Slip Resistant</p> <p>Cushion falls and reduces the risk of injury</p> <p>Soft to the touch but also for the body thanks to its shock absorption capacity which helps limit damage to muscles and articulations</p>
<b>Environmentally-Friendly</b>	<p>Made with solution-dyed fibers a process that reduces significantly water consumption</p>
<b>Best-in-class Warranty</b>	<p>30 Days No Questions Asked Replacement</p>
<b>Limitless designabilities</b>	<p>One of the most versatile floor coverings because you get to choose from a wide range of colors and textures</p> <p>Easy to mix and match colors and designs for a personalized look</p>
<b>Warm, quiet and comfortable</b>	<p>Without a doubt, the most comfortable flooring</p> <p>Greatest soundproofing and insulating properties</p> <p>Reduces heat loss</p> <p>Soft and warm to the touch</p>
<b>Quickship</b>	<p>Stock product for faster delivery</p>
<b>Stain resistant &amp; easy to clean</b>	<p>Protected with Stain Control for resistance to the most stubborn stains</p> <p>Treated with SoilScreen to keep soil on the surface making your carpet easier to clean</p>
<b>High performance</b>	<p>Made with our Nyluxe solution-dyed nylon fiber for outstanding wear resistance</p> <p>Part of our Mainstreet Nyluxe product offering, ideal for general commercial applications</p> <p>Made with EnduroBac backing which provides strong and non-fraying edge and offers durability and exceptional dimensional stability</p>
<b>Easy to install and repair</b>	<p>Easy installation with our 301 Carpet Tiles Adhesive</p> <p>Modular floor covering for fast and easy repair when needed</p>

# Magnetism TMAG

## Carpet Tiles • Mainstreet Tiles - Nyluxe

### Product Specifications

<b>Market Segments</b>	Builder, Hospitality, Pro, Property Management, Residential, Senior Living, Workspace
<b>Brand</b>	Nyluxe Tiles
<b>Collection</b>	Mainstreet Tiles - Nyluxe
<b>Style Name</b>	Magnetism
<b>Style Number</b>	TMAG
<b>Colors</b>	6
<b>Construction</b>	Multi-Level Loop
<b>Format</b>	Plank
<b>Fiber Type</b>	100% Nylon
<b>Abrasion Resistance</b>	General Commercial Use
<b>Dye Method</b>	Solution Dyed
<b>Pile Weight</b>	20.00 oz./y <sup>2</sup> (678.1 g/m <sup>2</sup> )
<b>Pile Height</b>	11/64 in (4.0 mm)
<b>Total Height</b>	9/32 in (7.0 mm)
<b>Backing</b>	Endurobac
<b>Stitch Count</b>	11/in (42/10 cm)
<b>Gauge</b>	1/12 in (2.11 mm)
<b>Density Factor</b>	7200
<b>Static Control</b>	Less Than 2.0 kV (AATCC 134)
<b>Flammability</b>	Meets DOC FF-1-70 & C.G.S.B. 4-GP-129
<b>Flooring Radiant Panel</b>	Class 1 (ASTM E-648)
<b>Tarr</b>	3
<b>Indoor Air Quality</b>	GLP 3325
<b>Dimension</b>	9.9"X39.4" (25 cmx100 cm)
<b>Color Fastness</b>	Meets 5.0 AATCC 16
<b>Certifications</b>	Green Label Plus, QuickShip, Environmental Product Declaration (EPD), SoilScreen, Stain Control
<b>Installation Methods</b>	Herringbone, Ashlar, Quarter Turn (planks), Monolithic <a href="#">🔗 Carpet Tiles Installation Guide</a>



### Color Names & Numbers

<b>#01</b>	Light Stream	<b>#02</b>	Streaky Grey
<b>#03</b>	Blurred Lines	<b>#04</b>	Black Mirror
<b>#05</b>	Thin Brown	<b>#06</b>	Bright Nova

### Warranties

- [🔗 Carpet Tiles Warranty Guide](#)
- [🔗 Carpet Tiles Care & Maintenance Guide](#)

<b>Residential use</b>	Wear Resistance <i>Lifetime</i> No Questions Asked Replacement <i>30 days</i> Stain Resistance <i>Lifetime</i> Static Control <i>Lifetime</i> Edge Ravelling <i>Lifetime</i> Delamination Resistance <i>Lifetime</i> Dimensional Stability <i>Lifetime</i> Anti-Zippering <i>Lifetime</i>
<b>Commercial use</b>	Edge Ravelling <i>15 Years</i> Dimensional Stability <i>15 Years</i> Delamination Resistance <i>15 Years</i> Anti-Zippering <i>15 Years</i> Stain Resistance <i>15 Years</i> Static Control <i>15 Years</i> Wear Resistance <i>15 Years</i>

# Magnetism TMAG

## Carpet Tiles • Mainstreet Tiles - Nyluxe

### Colors



#01  
Light Stream



#02  
Streaky Grey



#03  
Blurred Lines



#04  
Black Mirror



#05  
Thin Brown



#06  
Bright Nova

### Packaging information

<b>Units Per Box</b>	20
<b>Boxes Per Pallet</b>	28
<b>Box Weight</b>	53.82 pounds (24412.32 grams)
<b>Square Yards Per Box</b>	5.98 *
<b>Square Meters Per Box</b>	5.00 *
<b>Square Yards Per Pallet</b>	167.44 *
<b>Square Meters Per Pallet</b>	139.98 *

\* The number of boxes per skid may vary between 28 boxes (167.44 SY) and 32 boxed (191.36 SY), depending on the assigned product. Exact quantity will be confirmed when the order is placed.

# Magnetism TMAG

## Carpet Tiles • Mainstreet Tiles - Nyluxe

### Accessories



#### **301 Carpet Tiles Adhesive - 4 U.S. Gallons**

4 Gallons (15.14 Litres)

1/16" x 1/32" x 1/32" U-notch Trowel

#### Porous Coverage

680 - 760 sq.ft. / 4 Gallons (63 - 71 m<sup>2</sup> / 15 L)

#### Non-Porous Coverage

680 - 760 sq.ft. / 4 Gallons (63 - 71 m<sup>2</sup> / 15 L)

[🔗 Specifications - 301 Pressure Sensitive Carpet Tile Adhesive](#)

[🔗 Label - 301 Pressure Sensitive Carpet Tile Adhesive](#)

[🔗 SDS - 301 Pressure Sensitive Carpet Tile Adhesive](#)