

# Haendel 1591

## Engineered Hardwood • Symphony

This product has been discontinued and is no longer part of our regular line.

### Benefits

#### Safe and healthy

FloorScore® Certified for compliance with rigorous indoor air quality requirements  
CARB II Certified for protection from exposure to toxic air contaminants

#### Environmentally-Friendly

Reduced eco footprint  
CARB II Certified for protection from exposure to toxic air contaminants  
FloorScore® Certified for compliance with rigorous indoor air quality requirements

#### Performant and durable construction

BLC Certified ® - Ensures that the floor covering you're buying surpasses industry quality standards.  
Can be sanded and refinished  
Adds value to your home  
Resistant to normal changes in temperature - can be installed in basement

#### Easy and versatile Installation

Coordinating moldings available  
Can be installed floating, glued or nailed/stapled  
Compatible with embedded radiant heating  
Can be installed on all floor levels, even on walls

#### Notable look

Wide and long planks  
Matte finish  
Oil finish for the most natural look and texture  
Authentic brushed finish.

#### Best-in-class Warranty

30 Days No Questions Asked Replacement

#### Quickship

Stock product for faster delivery

# Haendel 1591

## Engineered Hardwood • Symphony

### Product Specifications

<b>Market Segments</b>	Builder, Pro, Residential
<b>Collection</b>	Symphony
<b>Style Name</b>	Haendel
<b>Style Number</b>	1591
<b>Construction</b>	Engineered Hardwood
<b>Format</b>	Plank
<b>Abrasion Resistance</b>	Residential Use
<b>Species</b>	White Oak
<b>Grade</b>	Classic
<b>Core</b>	Eucalyptus
<b>Width</b>	7.48" (190 mm)
<b>Total Thickness</b>	0.472" (12 mm)
<b>Wood Veneer Thickness</b>	0.0790" (2.0000 mm)
<b>Wood Veneer</b>	Sliced
<b>Edges</b>	4-Sided Micro Bevel
<b>Locking System</b>	Tongue & Groove
<b>Finish</b>	Wire-Brushed
<b>Top Surface</b>	UV-Cured Oil
<b>Gloss</b>	Matte
<b>Pattern Repeat</b>	n/a
<b>Formaldehyde</b>	n/a
<b>Length</b>	Random (Variées)
<b>Certifications</b>	FloorScore, BLC Certification, CARB II Compliant
<b>Installation Methods</b>	Staple, Floating, Compatible with embedded radiant heating, Glued, Nail / Staple

[Engineered Hardwood Installation Guide Tongue & Groove](#)

[Wall Installation Guide - Hardwood](#)



### Warranties

- [Engineered Hardwood Warranty Guide](#)
- [Engineered Hardwood Maintenance Guide \(UV Oiled\)](#)

<b>Residential use</b>	Finish 35 Years No Questions Asked Replacement 30 days Structural Integrity Lifetime
------------------------	---


# Haendel 1591

## Engineered Hardwood • Symphony

### Packaging information

<b>Units Per Box</b>	8
<b>Boxes Per Pallet</b>	50
<b>Box Weight</b>	50.66 pounds (22979.15 grams)
<b>Square Meters Per Box</b>	2.89
<b>Square Meters Per Pallet</b>	144.40
<b>Square Feet Per Box</b>	31.09
<b>Square Feet Per Pallet</b>	1554.32

### Moldings



**Flushmount Stair Nose - Round**  
Coordinating  
92" X 0.472" X 2.750"  
(2337 mm X 12 mm X 69.850 mm)



**T-Molding**  
Coordinating  
92" X 0.472" X 2"  
(2337 mm X 12 mm X 51 mm)



**Flushmount Reducer**  
Coordinating  
92" X 0.472" X 2"  
(2337 mm X 12 mm X 51 mm)