

# Labelle 1865

## Engineered Hardwood • Maestro

### Benefits

<b>Safe and healthy</b>	FloorScore® Certified for compliance with rigorous indoor air quality requirements
<b>Environmentally-Friendly</b>	Reduced eco footprint FloorScore® Certified for compliance with rigorous indoor air quality requirements
<b>Performant and durable construction</b>	BLC Certified ® - Ensures that the floor covering you're buying surpasses industry quality standards. Protective coating for improved scratch and wear resistance Can be sanded and refinished Adds value to your home Resistant to normal changes in temperature - can be installed in basement
<b>Easy and versatile Installation</b>	Coordinating moldings available Can be installed floating, glued or nailed/stapled Compatible with embedded radiant heating Can be installed on all floor levels, even on walls
<b>Notable look</b>	Wide and long planks Matte finish
<b>Best-in-class Warranty</b>	30 Days No Questions Asked Replacement
<b>Quickship</b>	Stock product for faster delivery

# Labelle 1865

## Engineered Hardwood • Maestro

### Product Specifications

<b>Market Segments</b>	Builder, Pro, Residential
<b>Collection</b>	Maestro
<b>Style Name</b>	Labelle
<b>Style Number</b>	1865
<b>Construction</b>	Engineered Hardwood
<b>Format</b>	Plank
<b>Abrasion Resistance</b>	Residential Use
<b>Species</b>	European White Oak
<b>Grade</b>	Classic
<b>Core</b>	Eucalyptus
<b>Width</b>	7.48" (190 mm)
<b>Total Thickness</b>	0.709" (18 mm)
<b>Wood Veneer Thickness</b>	0.1180" (3.0000 mm)
<b>Wood Veneer</b>	Dry Solid Sawn
<b>Edges</b>	4-Sided Micro Bevel
<b>Locking System</b>	Tongue & Groove
<b>Finish</b>	Lightly Wire-Brushed
<b>Top Surface</b>	UV-Cured Urethane
<b>Gloss</b>	Matte
<b>Pattern Repeat</b>	n/a
<b>Formaldehyde</b>	TSCA Title VI
<b>Length</b>	74.803" (1900 mm)
<b>Certifications</b>	FloorScore, BLC Certification, QuickShip, TSCA Title VI Compliant
<b>Installation Methods</b>	Floating, Compatible with embedded radiant heating, Glued, Nail / Staple

[Engineered Hardwood Installation Guide Tongue & Groove](#)

[Wall Installation Guide - Hardwood](#)



### Warranties

- [Engineered Hardwood Warranty Guide](#)
- [Engineered Hardwood Maintenance Guide \(UV Cured Urethane\)](#)

#### Residential use

No Questions Asked  
Replacement 30 days  
Finish 35 Years  
Structural Integrity *Lifetime*

# Labelle 1865

## Engineered Hardwood • Maestro

### Packaging information

<b>Units Per Box</b>	5
<b>Boxes Per Pallet</b>	50
<b>Box Weight</b>	49.52 pounds (22462.33 grams)
<b>Square Meters Per Box</b>	1.80
<b>Square Meters Per Pallet</b>	90.25
<b>Square Feet Per Box</b>	19.43
<b>Square Feet Per Pallet</b>	971.45

### Moldings



#### **Flushmount Reducer**

Coordinating

92" X 0.709" X 2.244"

(2337 mm X 18 mm X 57 mm)



#### **Flushmount Stair Nose - Round**

Coordinating

92" X 0.709" X 3.110"

(2337 mm X 18 mm X 79 mm)



#### **T-Molding**

Coordinating

92" X 0.709" X 2"

(2337 mm X 18 mm X 51 mm)



#### **Flushmount Stair Nose - Square**

Coordinating

92" X 0.709" X 3.110"

(2337 mm X 18 mm X 79 mm)