

# Glenrock 1436 Laminate • Laguna

This product has been discontinued and is no longer part of our regular line.

## Benefits

### Family friendly (including pet)

- Easy to clean
- Stain resistant, including pet stains
- Budget-friendly
- Water-resistant – 72-hour spill protection
- Ultra-durable and scratch-resistant surface

### Safe and healthy

- FloorScore® Certified for compliance with rigorous indoor air quality requirements
- E1 Certified meaning that the product meets the European standard for indoor air quality

### Performant and durable construction

- BLC Certified® - Ensures that the floor covering you're buying surpasses industry quality standards.
- Made in Europe
- Heavy commercial abrasion resistance
- Water-resistant laminate that can be installed in kitchens and half bathrooms
- Ultra-durable and scratch-resistant surface

### Easy maintenance

- Easy to clean
- Stain resistant, including pet stains
- Water-resistant – 72-hour spill protection

### Easy and versatile Installation

- Floating installation
- 2 in 1 - comes with an attached underlayment
- Compatible with embedded radiant heating
- No telegraphing, even when installed over hard surface flooring
- Can be installed on all floor levels, even on walls
- Coordinating moldings available

### Quiet and comfortable

- Foam backing for greater temperature and sound insulation

### Notable look

- Wide and long planks
- Matte finish
- Very realistic wood look and texture

### Best-in-class Warranty

- 30 Days No Questions Asked Replacement

### Quickship

- Stock product for faster delivery

# Glenrock 1436

## Laminate • Laguna

### Product Specifications

<b>Market Segments</b>	Hospitality, Pro, Residential, Workspace
<b>Sub Category</b>	Water-Resistant
<b>Collection</b>	Laguna
<b>Style Name</b>	Glenrock
<b>Style Number</b>	1436
<b>Construction</b>	Laminate
<b>Format</b>	Plank
<b>Abrasion Resistance</b>	AC5 Class 33: Heavy Commercial Use
<b>Species</b>	n/a
<b>Width</b>	7.48" (190 mm)
<b>Total Thickness</b>	0.551" (14 mm)
<b>Core Thickness</b>	n/a
<b>Backing</b>	Heps Foam
<b>Edges</b>	4-Sided Micro Bevel with Water Repellant Coating
<b>Locking System</b>	Vålinge 5G: Drop Lock
<b>Attached Backing</b>	Yes
<b>Backing Thickness</b>	0.079" (2 mm)
<b>Finish</b>	Registered Embossed
<b>Top Surface</b>	Aluminum Oxide
<b>Gloss</b>	Matte
<b>Pattern Repeat</b>	10
<b>IIC</b>	58
<b>STC</b>	53
<b>Formaldehyde</b>	TSCA Title VI
<b>Length</b>	50.708" (1288 mm)
<b>Certifications</b>	FloorScore, E1 Certified, BLC Certification, QuickShip, CARB II Compliant, Certified A+, TSCA Title VI Compliant
<b>Installation Methods</b>	Floating, Compatible with embedded radiant heating
	<a href="#">Laminate Installation Guide (Drop Lock)</a>
	<a href="#">Wall Installation Guide - Laminate</a>



### Warranties

- [Laminate Warranty Guide](#)
- [Laminate Maintenance Guide](#)

<b>Residential use</b>	Stain <i>Lifetime</i> Manufacturing Defects <i>Lifetime</i> Fade <i>Lifetime</i> Wear <i>Lifetime</i> No Questions Asked Replacement <i>30 days</i>
<b>Commercial use</b>	Stain <i>15 Years</i> Wear <i>15 Years</i> Manufacturing Defects <i>15 Years</i> Fade <i>15 Years</i>

# Glenrock 1436

## Laminate • Laguna

### Packaging information

<b>Units Per Box</b>	5
<b>Boxes Per Pallet</b>	56
<b>Box Weight</b>	30.42 pounds (13799.49 grams)
<b>Square Meters Per Box</b>	1.22
<b>Square Meters Per Pallet</b>	68.52
<b>Square Feet Per Box</b>	13.17
<b>Square Feet Per Pallet</b>	737.52