

Galapagos 2319

Engineered Luxury Vinyl • Archipel

Benefits

Family friendly (including pet)

100% Waterproof
Ultra-durable wear layer with ceramic bead technology
Easy to clean
Stain resistant, including pet stains

Safe and healthy

Made of virgin PVC (no recycled content) ensuring a uniform composition that doesn't contain any harmful substances.
Antimicrobial protective treatment to inhibit the growth of mold and mildew.
Phthalates Free products meaning that they will not affect your quality of life
FloorScore® Certified for compliance with rigorous indoor air quality requirements
E1 Certified meaning that the product meets the European standard for indoor air quality

Performant and durable construction

Ultra-durable wear layer with ceramic bead technology
High-density rigid core vinyl planks (SPC)
Very sturdy - can withstand heavy furniture such as kitchen cabinets and islands
Performs in extreme temperatures (-4 to 122 °F / -20 to 50 °C)
Commercial abrasion resistance
BLC Certified ® - Ensures that the floor covering you're buying surpasses industry quality standards.

Easy maintenance

100% Waterproof
Antimicrobial, anti-mold and anti-fungal
Easy to clean
Stain resistant, including pet stains

Easy and versatile Installation

Floating installation
2 in 1 - comes with an attached underlayment
Can be installed in 3-season cottages (-4 to 122 °F / -20 to 50 °C)
No acclimation required
Compatible with embedded radiant heating
Can be installed on all floor levels
No telegraphing, even when installed over hard surface flooring
Minimal floor preparation
Installations of up to 4225 sq. ft. (65 linear ft.) in an open space without transition moldings
Matching moldings available

Quiet and comfortable

Cork backing for greater temperature and sound insulation
High soundproofing ratings (IIC/STC)

Notable look

Designers' Choice - This collection was developed with light to extreme color variation to create a unique and bold look
Enhanced painted bevels for a realistic wood look
Wide and long planks
Matte finish

Best-in-class Warranty

30 Days No Questions Asked Replacement

Quickship

Stock product for faster delivery

Galapagos 2319

Engineered Luxury Vinyl • Archipel

Product Specifications

Market Segments	Hospitality, Pro, Residential, Workspace
Brand	HydraLuxe Rigid
Sub Category	SPC
Collection	Archipel
Style Name	Galapagos
Style Number	2319
Construction	Engineered Luxury Vinyl
Format	Plank
Abrasion Resistance	General Commercial Use
Material	Virgin PVC
Core Material	70% Calcium Carbonate / 30% Virgin PVC
Width	8.976" (228 mm)
Total Thickness	0.256" (6.5 mm)
Wear Layer Thickness	0.0200" (0.5000 mm)
Core Thickness	0.1970" (5.0000 mm)
Backing	Cork
Edges	4-Sided Macro Painted Bevel
Locking System	Välinge 5G: Drop Lock
Backing Thickness	0.0590" (1.5000 mm)
Finish	Registered Embossed
Top Surface	UV-Cured Polyurethane & Ceramic Bead Technology
Gloss	Matte
Pattern Repeat	4
IIC	73
STC	72
Design	Hickory
Formaldehyde	E1
Vinyl Thickness	n/a
Length	72.047" (1830 mm)
Certifications	BLC Certification, Designers' Choice, Virgin PVC, FloorScore, E1 Certified, Phthalates Free, QuickShip
Installation Methods	Floating, Compatible with embedded radiant heating

- [Rigid Engineered Luxury Vinyl Installation Guide - Välinge 5G](#)
- [Rigid Engineered Luxury Vinyl Installation Video - Välinge 5G System](#)



Warranties

- [Rigid Engineered Luxury Vinyl Warranty Guide](#)
- [Rigid Engineered Luxury Vinyl Maintenance Guide](#)

Residential use	<i>Fade Lifetime</i> <i>Wear Lifetime</i> <i>Manufacturing Defects Lifetime</i> <i>Stain Resistance Lifetime</i> <i>Waterproof Lifetime</i> <i>Petproof Lifetime</i> <i>No Questions Asked</i> <i>Replacement 30 days</i>
Commercial use	<i>Wear 15 Years</i> <i>Stain Resistance 15 Years</i> <i>Fade 15 Years</i> <i>Waterproof Lifetime</i> <i>Manufacturing Defects 15 Years</i> <i>Petproof Lifetime</i>


Galapagos 2319

Engineered Luxury Vinyl • Archipel

Packaging information

Units Per Box	6
Boxes Per Pallet	52
Box Weight	48.24 Pounds (21881.50 Grams)
Square Meters Per Box	2.50
Square Meters Per Pallet	130.19
Square Feet Per Box	26.95
Square Feet Per Pallet	1401.4


Moldings




Reducer
Matching
94.488" X 0.354" X 1.771"
(2400 mm X 9 mm X 45 mm)



Flushmount Stair Nose - Round
Matching
94.488" X .984" X 2.834"
(2400 mm X 25 mm X 72 mm)



T-Molding
Matching
94.488" X 0.354" X 1.771"
(2400 mm X 9 mm X 45 mm)



Flushmount Stair Nose - Square
Matching
94.488" X 1.378" X 4.449"
(2400 mm X 35 mm X 113 mm)