Benefits

Family friendly (including pet) 100% Waterproof

Easy to clean

Stain resistant, including pet stains

Safe and healthy Antimicrobial protective treatment to inhibit the growth of mold and mildew.

Phthalates-Free products meaning that they will not affect your quality of life FloorScore® Certified for compliance with rigorous indoor air quality requirements E1 Certified meaning that the product meets the European standard for indoor air quality

Made of virgin PVC (no recycled content) ensuring a uniform composition that doesn't contain any harmful

substances.

Performant and durable construction Commercial abrasion resistance

BLC Certified $\ensuremath{\mathfrak{B}}$ - Ensures that the floor covering you're buying surpasses industry quality standards.

Easy maintenance 100% Waterproof

Antimicrobial, anti-mold and anti-fungal

Easy to clean

Stain resistant, including pet stains

Easy and versatile Installation Compatible with embedded radiant heating

Glued installation for a permanent and sturdy setup

Loose lay the planks for a fast installation and an easy repair

Herringbone installation possible

Can be installed on all floor levels, even on walls

Coordinating moldings available

Notable look Matte finish

Wide planks

Mix and match colors for a bold look

Best-in-class Warranty 30 Days No Questions Asked Replacement

Quickship Stock product for faster delivery

Single Bulletin page 1 of 4

Product Specifications

Market Segments Builder, Hospitality, Pro, Residential,

Senior Living, Workspace

BrandOne2FloorSub CategoryLVPCollectionNautika IIStyle NameAdmiralStyle Number2330ConstructionLuxury VinylFormatPlank

Abrasion Resistance General Commercial Use

 Material
 Virgin PVC

 Width
 8.000" (203.2 mm)

 Total Thickness
 0.197" (5 mm)

 Wear Layer Thickness
 0.0220" (0.5500 mm)

InterlayerFiberglassBackingLoose Lay

Edges 4-Sided Micro Bevel

Locking System None

Finish Medium Embossed
Top Surface UV-Cured Polyurethane

GlossMattePattern Repeat5IIC66STC67DesignWoodFormaldehydeE1

Installation Methods

Length 48" (1219.2 mm)

Certifications FloorScore, E1 Certified, Phthalates-

Free, BLC Certification, QuickShip

Loose Lay, Compatible with embedded

radiant heating, Glued

Luxury Vinyl Installation Guide

(Loose Lay)

Wall Installation Guide - Luxury

Vinv



Warranties

☑ Luxury Vinyl Warranty Guide

Luxury Vinyl Care & Maintenance Guide

Residential use Manufacturing Defects

Lifetime
Fade Lifetime
Waterproof Lifetime
Petproof Lifetime
No Questions Asked
Replacement 30 days
Wear Lifetime

Stain *Lifetime*

Commercial use Fade 15 Years

Waterproof *Lifetime*Petproof *Lifetime*Wear *15 Years*Stain *15 Years*

Manufacturing Defects 15

Years



Single Bulletin page 2 of 4

Packaging information

Units Per Box 8
Boxes Per Pallet 70

Box Weight 42.87 Pounds (19446.99 Grams)

Square Meters Per Box1.98Square Meters Per Pallet138.71Square Feet Per Box21.33Square Feet Per Pallet1493.1

Moldings





Stair NoseMultitrimCoordinatingCoordinating94" X 1.16" X 2"94" X 0.23" X 1.593"

(2350 mm X 25.4 mm X 50.80 mm) (2350 mm X 5.842 mm X 40.481

mm)

Single Bulletin page 3 of 4

Accessories



701 Luxury Vinyl Adhesive - 4 U.S. Gallons

4 Gallons (15.14 Litres)

1/16" x 1/32" x 1/32" U-notch Trowel

Non-Porous: 1/16" x 1/32" x 1/32" V-notch Trowel

Porous Coverage

680 - 760 sq.ft. / 4 Gallons (63 - 71 m^2 / 15 L)

Non-Porous Coverage

1,000 to 1,200 sq.ft. / 4 U.S. Gallons (93 to 112 m 2 / 15 L)

- **☑** Label 701 Vinyl Flooring Adhesive
- SDS 701 Vinyl Flooring Adhesive
- ☑ Specifications 701 Vinyl Flooring Adhesive



Single Bulletin page 4 of 4