

Hazelnut 6041

Engineered Luxury Vinyl • Expedition

Benefits

Family friendly (including pet)

100% Waterproof
Easy to clean
Stain resistant, including pet stains

Safe and healthy

Antimicrobial protective treatment to inhibit the growth of mold and mildew.
Phthalates Free products meaning that they will not affect your quality of life
FloorScore® Certified for compliance with rigorous indoor air quality requirements
E1 Certified meaning that the product meets the European standard for indoor air quality
Made of virgin PVC (no recycled content) ensuring a uniform composition that doesn't contain any harmful substances.

Performant and durable construction

Commercial abrasion resistance
BLC Certified® - Ensures that the floor covering you're buying surpasses industry quality standards.
Innovative construction for a long-lasting and great-looking floorcovering (WPC)

Easy maintenance

100% Waterproof
Antimicrobial, anti-mold and anti-fungal
Easy to clean
Stain resistant, including pet stains

Easy and versatile Installation

Floating installation
2 in 1 - comes with an attached underlayment
Compatible with embedded radiant heating
Can be installed on all floor levels
No telegraphing, even when installed over hard surface flooring
Minimal floor preparation
Matching moldings available

Quiet and comfortable

Cork backing for greater temperature and sound insulation
High soundproofing ratings (IIC/STC)

Notable look

Wide and long planks
Matte finish

Best-in-class Warranty

30 Days No Questions Asked Replacement

Hazelnut 6041

Engineered Luxury Vinyl • Expedition

Product Specifications

Market Segments	Builder, Pro, Residential
Brand	HydraLuxe
Sub Category	WPC
Collection	Expedition
Style Name	Hazelnut
Style Number	6041
Construction	Engineered Luxury Vinyl
Format	Plank
Abrasion Resistance	General Commercial Use
Material	Virgin PVC
Core Material	70% Virgin PVC / 30% Calcium Carbonate
Width	8.858" (225 mm)
Total Thickness	0.335" (8.5 mm)
Wear Layer Thickness	0.0220" (0.5500 mm)
Core Thickness	0.1970" (5.0000 mm)
Backing	Cork
Backing Thickness	0.0590" (1.5000 mm)
Edges	4-Sided Micro Bevel
Locking System	Välinge 5G: Drop Lock
Finish	Medium Embossed
Top Surface	UV-Cured Acrylic
Gloss	Matte
Pattern Repeat	4
IIC	72
STC	71
Design	Wood
Formaldehyde	E1
Vinyl Thickness	0.0790" (2.0000 mm)
Length	72.047" (1830 mm)
Certifications	FloorScore, E1 Certified, Phthalates Free, BLC Certification, QuickShip, Virgin PVC
Installation Methods	Floating, Compatible with embedded radiant heating
	Engineered Luxury Vinyl Installation Guide (Drop Lock)
	Engineered Luxury Vinyl Installation Video - Välinge 5G System



Warranties

- [Engineered Luxury Vinyl Warranty Guide](#)
- [Engineered Luxury Vinyl Maintenance Guide](#)

Residential use	Waterproof <i>Lifetime</i> Petproof <i>Lifetime</i> Wear <i>Lifetime</i> No Questions Asked Replacement <i>30 days</i> Manufacturing Defects <i>Lifetime</i> Stain Resistance <i>Lifetime</i> Fade <i>Lifetime</i>
Commercial use	Fade <i>15 Years</i> Waterproof <i>Lifetime</i> Petproof <i>Lifetime</i> Stain Resistance <i>15 Years</i> Manufacturing Defects <i>15 Years</i> Wear <i>15 Years</i>

Hazelnut 6041

Engineered Luxury Vinyl • Expedition

Packaging information

Units Per Box	6
Boxes Per Pallet	68
Box Weight	47.60 Pounds (21589.21 Grams)
Square Meters Per Box	2.47
Square Meters Per Pallet	167.98
Square Feet Per Box	26.59
Square Feet Per Pallet	1808.12

Moldings



Reducer
Matching
94.488" X 0.413" X 1.771"
(2400 mm X 10.5 mm X 45 mm)



T-Molding
Matching
94.488" X 0.413" X 1.771"
(2400 mm X 10.5 mm X 45 mm)



Flushmount Stair Nose - Round
Matching
94.488" X .984" X 4.449"
(2400 mm X 25 mm X 113 mm)



Flushmount Stair Nose - Square
Matching
94.488" X 1.299" X 4.449"
(2400 mm X 33 mm X 113 mm)