

Landmark Beige B0143

Sheet Vinyl • Blacktex

This product has been discontinued and is no longer part of our regular line.

Benefits

Family friendly (including pet)	100% Waterproof Easy to clean Stain resistant, including pet stains Budget-friendly
Safe and healthy	Antimicrobial protective treatment to inhibit the growth of mold and mildew. Phthalates-Free products meaning that they will not affect your quality of life FloorScore® Certified for compliance with rigorous indoor air quality requirements E1 Certified meaning that the product meets the European standard for indoor air quality Slip resistant Made of virgin PVC (no recycled content) ensuring a uniform composition that doesn't contain any harmful substances.
Performant and durable construction	Commercial abrasion resistance BLC Certified ® - Ensures that the floor covering you're buying surpasses industry quality standards. Made in Europe Protective polyurethane lacquer for superior resistance to wear and scratches
Easy maintenance	100% Waterproof Antimicrobial, anti-mold and anti-fungal Easy to clean Stain resistant, including pet stains
Easy and versatile Installation	Compatible with embedded radiant heating Can be installed on all floor levels Glued installation for a permanent and sturdy setup Loose lay installation possible up to 500 sq.ft (46.5 sq.m)
Quiet and comfortable	Cushioned for comfort and warmth underfoot Reduces noise
Notable look	Matte finish
Best-in-class Warranty	30 Days No Questions Asked Replacement

Landmark Beige B0143

Sheet Vinyl • Blacktex

Product Specifications

Market Segments	Residential
Collection	Blacktex
Style Name	Landmark Beige
Style Number	B0143
Construction	Sheet Vinyl
Format	Sheet
Abrasion Resistance	Heavy Residential & General Commercial Use
Standard Length	98.40 Ft (30.00 M)
Material	Virgin PVC
Width	13' 1" (4 M)
Total Thickness	0.110" (2.8 mm)
Wear Layer Thickness	0.0160" (0.4000 mm)
Interlayer	Fiberglass
Backing	Black Tex Bac
Finish	Sand
Top Surface	UV-Cured Polyurethane
Pattern Repeat	n/a
Installation Pattern Repeat	± 78.74" W x 39.37" L (± 200.00 cm W x 100.00 cm L)
Pattern Repeat Position	22.5" (571.41 mm) Drop
Incomplete design left	0.00 in (0.00 cm)
Incomplete design right	0.00 in (0.00 cm)
Incomplete design total	0.00 in (0.00 cm)
Design	Wood
Design Size (W x L)	± 4" X 18.5" (10 cm X 47 cm)
Reverse Seam	No
Certifications	FloorScore, E1 Certified, Phthalates-Free, BLC Certification, Virgin PVC
Installation Methods	Compatible with embedded radiant heating, Glued, Loose Lay up to 500 sq. ft. (46.5 sq. m.)

[Sheet Vinyl Installation Guide](#)



Warranties

- [Sheet Vinyl Warranty Guide](#)
- [Sheet Vinyl Care & Maintenance Guide](#)

Residential use	<ul style="list-style-type: none"> Tear <i>Lifetime</i> No Questions Asked Replacement <i>30 days</i> Stain <i>Lifetime</i> Wear <i>Lifetime</i> Manufacturing Defects <i>Lifetime</i> Fade <i>Lifetime</i> Waterproof <i>Lifetime</i> Indent <i>Lifetime</i> Petproof <i>Lifetime</i> Scuffing <i>Lifetime</i>
Commercial use	<ul style="list-style-type: none"> Wear <i>10 Years</i> Indent <i>10 Years</i> Tear <i>10 Years</i> Scuffing <i>10 Years</i> Petproof <i>Lifetime</i> Waterproof <i>Lifetime</i> Fade <i>10 Years</i> Manufacturing Defects <i>10 Years</i> Stain <i>10 Years</i>

Landmark Beige B0143

Sheet Vinyl • Blacktex

Packaging information

Weight 57.52 Oz/Y² (1950.0 g/m²)

Landmark Beige B0143

Sheet Vinyl • Blacktex

Accessories



Beauflor Adhesive - 1 Gallon

1 Gallon (3.78 Litres)

1/16" x 1/32" x 1/32" U-notch Trowel

Porous Coverage

220 to 260 sq. ft. / gal (20 to 24 m² / gal)

Non-Porous Coverage

220 to 260 sq.ft. / gal (20 à 24 m² / gal)

[SDS - Beauflor 4N1 Adhesive](#)

[Specifications - Beauflor 4N1 Adhesive](#)



Beauflor Seam Sealer - 8 oz Bottle

Adhesive — 8 Ounces (227 Grams)

Non-Porous Coverage

100 ft. / 8 oz (31 m / 237 ml)

[Techical Data Sheet - Beauflor Seam Sealer](#)

[SDS - Beauflor Seam Sealer](#)



Beauflor Adhesive - 4 Gallons

4 Gallons (15.14 Litres)

1/16" x 1/32" x 1/32" U-notch Trowel

Porous Coverage

220 to 260 sq. ft. / gal (20 to 24 m² / gal)

Non-Porous Coverage

220 to 260 sq.ft. / gal (20 à 24 m² / gal)

[Specifications - Beauflor 4N1 Adhesive](#)

[SDS - Beauflor 4N1 Adhesive](#)