

Oracle Bone U0064 Sheet Vinyl • Reflect+

This product has been discontinued and is no longer part of our regular line.

Benefits

Family friendly (including pet)

100% Waterproof
Easy to clean
Stain resistant, including pet stains
Budget-friendly

Safe and healthy

Antimicrobial protective treatment to inhibit the growth of mold and mildew.
Phthalates-Free products meaning that they will not affect your quality of life
FloorScore® Certified for compliance with rigorous indoor air quality requirements
E1 Certified meaning that the product meets the European standard for indoor air quality
Slip resistant

Performant and durable construction

BLC Certified® - Ensures that the floor covering you're buying surpasses industry quality standards.
Protective polyurethane lacquer for superior resistance to wear and scratches
Made in USA

Easy maintenance

100% Waterproof
Antimicrobial, anti-mold and anti-fungal
Easy to clean
Stain resistant, including pet stains

Easy and versatile Installation

Compatible with embedded radiant heating
Can be installed on all floor levels
Glued installation for a permanent and sturdy setup
Loose lay installation possible up to 25 sq.yd (225 sq.ft.)

Quiet and comfortable

Cushioned for comfort and warmth underfoot
Reduces noise

Notable look

Matte finish
NaturQuest enhanced embossing technology giving a more realistic feel and registered embossed effect

Best-in-class Warranty

30 Days No Questions Asked Replacement

Oracle Bone U0064

Sheet Vinyl • Reflect+

Product Specifications

Market Segments	Residential
Collection	Reflect+
Style Name	Oracle Bone
Style Number	U0064
Construction	Sheet Vinyl
Format	Sheet
Abrasion Resistance	General Residential Use
Standard Length	139.96 Ft (42.67 M)
Material	Virgin PVC
Width	12' (3.66 M)
Total Thickness	0.075" (1.9 mm)
Wear Layer Thickness	0.0100" (0.2500 mm)
Interlayer	Fiberglass
Backing	Power Bac Foam
Finish	Polyurethane - Naturquest
Top Surface	Naturquest- Enhanced Embossing Technology / Polyurethane Lacquer
Pattern Repeat	n/a
Installation Pattern Repeat	± 39.37" W x 39.37" L (± 100.00 cm W x 100.00 cm L)
Pattern Repeat Position	n/a
Incomplete design left	0.00 in (0.00 cm)
Incomplete design right	0.00 in (0.00 cm)
Incomplete design total	0.00 in (0.00 cm)
Design	Tile
Design Size (W x L)	± 13.00" X 13.00" (33.00 cm X 33.00 cm)
Reverse Seam	No
Certifications	FloorScore, Phthalates-Free, BLC Certification, Virgin PVC
Installation Methods	Loose Lay up to 225 sq. ft. (20.9 sq. m.), Compatible with embedded radiant heating, Glued Sheet Vinyl Installation Guide



Warranties

- [Sheet Vinyl Warranty Guide](#)
- [Sheet Vinyl Care & Maintenance Guide](#)

Residential use	Tear 15 Years
	Indent 15 Years
	Wear 15 Years
	Stain 15 Years
	Manufacturing Defects 15 Years
	No Questions Asked
	Replacement 30 days
	Fade 15 Years
	Waterproof Lifetime
	Petproof Lifetime
	Scuffing 15 Years

Oracle Bone U0064

Sheet Vinyl • Reflect+

Packaging information

Weight 38.94 Oz/Y² (1319.9 g/m²)

Oracle Bone U0064

Sheet Vinyl • Reflect+

Accessories



Beauflor Adhesive - 4 Gallons

4 Gallons (15.14 Litres)

1/16" x 1/32" x 1/32" U-notch Trowel

Porous Coverage

220 to 260 sq. ft. / gal (20 to 24 m² / gal)

Non-Porous Coverage

220 to 260 sq.ft. / gal (20 à 24 m² / gal)

[↗ Specifications - Beauflor 4N1 Adhesive](#)

[↗ SDS - Beauflor 4N1 Adhesive](#)



Beauflor Seam Sealer - 8 oz Bottle

Adhesive — 8 Ounces (227 Grams)

Non-Porous Coverage

100 ft. / 8 oz (31 m / 237 ml)

[↗ Technical Data Sheet - Beauflor Seam Sealer](#)

[↗ SDS - Beauflor Seam Sealer](#)



Beauflor Adhesive - 1 Gallon

1 Gallon (3.78 Litres)

1/16" x 1/32" x 1/32" U-notch Trowel

Porous Coverage

220 to 260 sq. ft. / gal (20 to 24 m² / gal)

Non-Porous Coverage

220 to 260 sq.ft. / gal (20 à 24 m² / gal)

[↗ SDS - Beauflor 4N1 Adhesive](#)

[↗ Specifications - Beauflor 4N1 Adhesive](#)