#### **Benefits**

Family friendly (including pet) 100% Waterproof

Easy to clean

Stain resistant, including pet stains

Safe and healthy Antimicrobial protective treatment to inhibit the growth of mold and mildew.

Phthalates-Free products meaning that they will not affect your quality of life

FloorScore® Certified for compliance with rigorous indoor air quality requirements

E1 Certified meaning that the product meets the European standard for indoor air quality

Made of virgin PVC (no recycled content) ensuring a uniform composition that doesn't contain any harmful

substances.

Performant and durable construction Commercial abrasion resistance

BLC Certified ® - Ensures that the floor covering you're buying surpasses industry quality standards.

Easy maintenance 100% Waterproof

Antimicrobial, anti-mold and anti-fungal

Easy to clean

Stain resistant, including pet stains

Easy and versatile Installation Compatible with embedded radiant heating

Glued installation for a permanent and sturdy setup

Loose lay the planks for a fast installation and an easy repair

Herringbone installation possible

Can be installed on all floor levels, even on walls

Coordinating moldings available

Notable look Matte finish

Mix and match colors for a bold look

Best-in-class Warranty 30 Days No Questions Asked Replacement

Quickship Stock product for faster delivery

Single Bulletin page 1 of 4

### **Product Specifications**

Market Segments Builder, Hospitality, Pro, Residential,

Senior Living, Workspace

BrandOne2FloorSub CategoryLVPCollectionRapidoStyle NameMonzaStyle Number2106ConstructionLuxury VinylFormatPlank

Abrasion Resistance General Commercial Use

 Material
 Virgin PVC

 Width
 7" (177.8 mm)

 Total Thickness
 0.197" (5 mm)

 Wear Layer Thickness
 0.0220" (0.5500 mm)

InterlayerFiberglassBackingNone

**Edges** 4-Sided Micro Bevel

Locking System None

Finish Medium Embossed
Top Surface UV-Cured Polyurethane

GlossMattePattern Repeat5IIC66STC67DesignWoodFormaldehydeE1

**Length** 48" (1219.2 mm)

Certifications Virgin PVC, FloorScore, E1 Certified,

Phthalates-Free, BLC Certification,

QuickShip

Installation Methods Loose Lay, Compatible with embedded

radiant heating, Glued

Luxury Vinyl Installation Guide

(Loose Lay)

Nall Installation Guide - Luxury

Vinyl



#### Warranties

☑ Luxury Vinyl Warranty Guide

Luxury Vinyl Care & Maintenance Guide

Residential use Waterproof Lifetime

No Questions Asked Replacement 30 days Wear Lifetime Stain Lifetime

Manufacturing Defects

Lifetime
Fade Lifetime
Petproof Lifetime

Commercial use Fade 15 Years

Waterproof *Lifetime*Wear *15 Years*Stain *15 Years* 

Manufacturing Defects 15

Years

Petproof Lifetime



Single Bulletin page 2 of 4

# Packaging information

Units Per Box 10 Boxes Per Pallet 60

**Box Weight** 48.06 Pounds (21799.54 Grams)

Square Meters Per Box2.17Square Meters Per Pallet130.04Square Feet Per Box23.33Square Feet Per Pallet1399.8

# Moldings



MultitrimStair NoseCoordinatingCoordinating94" X 0.23" X 1.593"94" X 1.16" X 2"

 $(2350 \; mm \; X \; 5.842 \; mm \; X \; 40.481 \qquad (2350 \; mm \; X \; 25.4 \; mm \; X \; 50.80 \; mm)$ 

mm)

Single Bulletin page 3 of 4

# Accessories



#### 701 Luxury Vinyl Adhesive - 4 U.S. Gallons

4 Gallons (15.14 Litres)

1/16" x 1/32" x 1/32" U-notch Trowel

Non-Porous: 1/16" x 1/32" x 1/32" V-notch Trowel

#### Porous Coverage

680 - 760 sq.ft. / 4 Gallons (63 - 71  $m^2$  / 15 L)

#### Non-Porous Coverage

1,000 to 1,200 sq.ft. / 4 U.S. Gallons (93 to 112 m $^2$  / 15 L)

- **☑** Label 701 Vinyl Flooring Adhesive
- **☑** SDS 701 Vinyl Flooring Adhesive
- ☑ Specifications 701 Vinyl Flooring Adhesive



Single Bulletin page 4 of 4