

Alpha TQS1

Carpet Tiles • Modulyss

Benefits

Safe and healthy

Green Label Plus certified ensuring that you are purchasing the very lowest VOC-emitting products on the market
Improves indoor air quality by trapping particles, removing them from the breathing zone and reducing their circulation
Slip Resistant
Cushion falls and reduces the risk of injury
Soft to the touch but also for the body thanks to its shock absorption capacity which helps limit damage to muscles and articulations
Certified A+ - French regulation on VOCs (Volatile Organic Compounds) and on the obligatory labelling of building products, floor and wall covering products, and paints and varnishes used inside buildings

Environmentally-Friendly

GUT-NR certified - Strict standards, incentives to adopt eco-friendly solutions and objective information on all aspects of carpet to benefit the environment and consumers.
Made with back2back backing which contains a minimum of 70% post industrial recycled content
Made with solution-dyed fibers a process that reduces significantly water consumption

Limitless designabilities

One of the most versatile floor coverings because you get to choose from a wide range of colors and textures
Easy to mix and match colors and designs for a personalized look

Warm, quiet and comfortable

Without a doubt, the most comfortable flooring
Greatest soundproofing and insulating properties
Reduces heat loss
Soft and warm to the touch

High performance

BREEAM is the world's leading sustainability assessment method for master planning projects, infrastructure and buildings. It recognizes and reflects the value of higher-performing assets across the built environment lifecycle, from new construction to refurbishment.
High-performing product made to withstand heavy traffic
Part of our Modulyss product offering, ideal for general commercial applications

Easy to install and repair

Easy installation with our 301 Carpet Tiles Adhesive
Modular floor covering for fast and easy repair when needed

Alpha TQS1

Carpet Tiles • Modulyss

Product Specifications

Market Segments	Hospitality, Pro, Workspace
Brand	Modulyss
Collection	Modulyss
Style Name	Alpha
Style Number	TQS1
Colors	14
Construction	Tufted Loop
Format	Tile
Fiber Type	100% BCF Solution Dyed Nylon
Abrasion Resistance	Heavy commercial Use
Dye Method	Solution Dyed
Pile Weight	14.75 oz./y ² (500.0 g/m ²)
Pile Height	7/64 in (2.6 mm)
Total Height	15/64 in (5.8 mm)
Backing	Back2Back Modified Bitumen
Stitch Count	0 /in (0 /10 cm)
Gauge	1/10 in (2.54 mm)
Density Factor	5186
Static Control	Less Than 2.0 kV (AATCC 134)
Flammability	Meets DOC FF-1-70 & C.G.S.B. 4-GP-129
Flooring Radiant Panel	Class 1 (ASTM E-648)
Tarr	0
Indoor Air Quality	n/a
Dimension	19.7 x 19.7" (50 X 50 cm)
Color Fastness	Meets 5.0 AATCC 16
Certifications	Green Label Plus, Certified A+, BREEAM, GUT-NR
Installation Methods	Quarter Turn, Monolithic, Brick

[Modulyss Carpet Tiles Installation Guide](#)



Color Names & Numbers

#A553	A553	#A823	A823
#A942	A942	#A983	A983
#A989	A989	#A991	A991
#A215	A215	#A332	A332
#A340	A340	#A543	A543
#A552	A552	#A592	A592
#A606	A606	#A847	A847

Warranties


- [Modulyss Carpet Tiles Warranty Guide](#)
- [Modulyss Carpet Tiles Maintenance Guide](#)

Commercial use	Colorfastness <i>15 Years</i>
	Manufacturing Defects <i>15 Years</i>
	Stain Resistance <i>15 Years</i>
	Static Control <i>15 Years</i>
	Wear Resistance <i>15 Years</i>
	Edge Ravelling <i>15 Years</i>
	Delamination Resistance <i>15 Years</i>
	Dimensional Stability <i>15 Years</i>
	Anti-Zippering <i>15 Years</i>

Alpha TQS1

Carpet Tiles • Modulyss

Colors




#A553
A553
Dropped Product



#A823
A823
Dropped Product



#A942
A942
Dropped Product



#A983
A983
Dropped Product



#A989
A989
Dropped Product



#A991
A991
Dropped Product

#A215
A215
Dropped Product

#A332
A332
Dropped Product

#A340
A340
Dropped Product

#A543
A543
Dropped Product

#A552
A552
Dropped Product

#A592
A592
Dropped Product

#A606
A606
Dropped Product

#A847
A847
Dropped Product

Packaging information

Units Per Box	20
Boxes Per Pallet	20
Box Weight	47.42 Pounds (21509.97 Grams)
Square Yards Per Box	5.98
Square Meters Per Box	5.00
Square Yards Per Pallet	119.6
Square Meters Per Pallet	99.99