Celio 1581 Engineered Hardwood • Hilltop

Benefits

Safe and healthy	FloorScore® Certified for compliance with rigorous indoor air quality requirements CARB II Certified for protection from exposure to toxic air contaminants
Environmentally-Friendly	Reduced eco footprint CARB II Certified for protection from exposure to toxic air contaminants FloorScore® Certified for compliance with rigorous indoor air quality requirements
Performant and durable construction	BLC Certified ® - Ensures that the floor covering you're buying surpasses industry quality standards. Can be sanded and refinished Adds value to your home Resistant to normal changes in temperature - can be installed in basement
Easy and versatile Installation	Coordinating moldings available Can be installed floating, glued or nailed/stapled Compatible with embedded radiant heating Can be installed on all floor levels, even on walls
Notable look	Wide and long planks Matte finish Designers' Choice - This product showcase the latest trends in terms of color variations Oil finish for the most natural look and texture Authentic handscraped and brushed finish.
Best-in-class Warranty	30 Days No Questions Asked Replacement
Quickship	Stock product for faster delivery



Celio 1581 Engineered Hardwood • Hilltop

Product Specifications

Market Segments Brand Collection Style Name **Style Number** Construction Format Abrasion Resistance Species Grade Core Width **Total Thickness** Wood Veneer Thickness Wood Veneer Edges Locking System Finish

Top Surface Gloss Pattern Repeat Formaldehyde Length Certifications

Installation Methods

Builder, Pro, Residential UrbanTerra Hilltop Celio 1581 Engineered Hardwood Plank **Residential Use** European White Oak Antique Birch & Eucalyptus 7.48" (190 mm) 0.472" (12 mm) 0.0790" (2.0000 mm) Sliced 4-Sided Micro Bevel Tongue & Groove Authentically Handscraped And Wire-Brushed UV-Cured Oil Matte n/a n/a Random (Variées) FloorScore, BLC Certification, Designers' Choice, CARB II Compliant Staple, Floating, Compatible with embedded radiant heating, Glued, Nail / Staple

Engineered Hardwood

Groove Wall Installation Guide -Hardwood



Warranties

- Engineered Hardwood Warranty Guide
- ☑ Engineered Hardwood Maintenance Guide (UV Oiled)

Residential use

Finish *35 Years* Structural Integrity *Lifetime* No Questions Asked Replacement *30 days*



Celio 1581 Engineered Hardwood • Hilltop

Packaging information

Units Per Box 8 Boxes Per Pallet 50 **Box Weight** 52.21 Pounds (23684.03 Grams) Square Meters Per Box 2.89 Square Meters Per Pallet 144.40 Square Feet Per Box 31.09 Square Feet Per Pallet 1554.32

Moldings



Coordinating 92" X 0.472" X 2.125" (2337 mm X 12 mm X 54 mm) Coordinating 92" X 0.472" X 2" (2337 mm X 12 mm X 51 mm)



92" X 0.472" X 3.110" (2337 mm X 12 mm X 79 mm)



Flushmount Reducer Coordinating 92" X 0.472" X 2" (2337 mm X 12 mm X 51 mm)

