

Pescara 2252

Luxury Vinyl • Rapido

Benefits

Safe and healthy

Antimicrobial protective treatment to inhibit the growth of mold and mildew.
Phthalates-Free products meaning that they will not affect your quality of life
FloorScore® Certified for compliance with rigorous indoor air quality requirements
E1 Certified meaning that the product meets the European standard for indoor air quality
Made of virgin PVC (no recycled content) ensuring a uniform composition that doesn't contain any harmful substances.

Performant and durable construction

Commercial abrasion resistance
BLC Certified ® - Ensures that the floor covering you're buying surpasses industry quality standards.

Easy maintenance

100% Waterproof
Antimicrobial, anti-mold and anti-fungal
Easy to clean
Stain resistant, including pet stains

Easy and versatile Installation

Compatible with embedded radiant heating
Glued installation for a permanent and sturdy setup
Loose lay the planks for a fast installation and an easy repair
Herringbone installation possible
Can be installed on all floor levels, even on walls
Coordinating moldings available

Notable look

Matte finish
Mix and match colors for a bold look

Best-in-class Warranty

30 Days No Questions Asked Replacement

Quickship

Stock product for faster delivery

Pescara 2252

Luxury Vinyl • Rapido

Product Specifications

Market Segments	Builder, Hospitality, Pro, Residential, Senior Living, Workspace
Sub Category	LVP
Collection	Rapido
Style Name	Pescara
Style Number	2252
Construction	Luxury Vinyl
Format	Plank
Abrasion Resistance	General Commercial Use
Material	Virgin PVC
Width	7" (177.8 mm)
Total Thickness	0.197" (5 mm)
Wear Layer Thickness	0.0220" (0.5500 mm)
Interlayer	Fiberglass
Backing	Loose Lay
Edges	4-Sided Micro Bevel
Locking System	None
Finish	Medium Embossed
Top Surface	UV-Cured Polyurethane
Gloss	Matte
Pattern Repeat	5
IIC	66
STC	67
Design	Wood
Formaldehyde	E1
Length	48" (1219.2 mm)
Certifications	Virgin PVC, FloorScore, E1 Certified, Phthalates-Free, BLC Certification, QuickShip
Installation Methods	Loose Lay, Compatible with embedded radiant heating, Glued
	Luxury Vinyl Installation Guide (Loose Lay or Gluedown)
	Wall Installation Guide - Luxury Vinyl



Warranties

- [Luxury Vinyl Warranty Guide](#)
- [Luxury Vinyl Care & Maintenance Guide](#)

Residential use	No Questions Asked Replacement <i>30 days</i> Waterproof <i>Lifetime</i> Stain <i>Lifetime</i> Petproof <i>Lifetime</i> Wear <i>Lifetime</i> Manufacturing Defects <i>Lifetime</i> Fade <i>Lifetime</i>
Commercial use	Wear <i>15 Years</i> Fade <i>15 Years</i> Waterproof <i>Lifetime</i> Petproof <i>Lifetime</i> Stain <i>15 Years</i> Manufacturing Defects <i>15 Years</i>


Pescara 2252

Luxury Vinyl • Rapido

Packaging information

Units Per Box	10
Boxes Per Pallet	60
Box Weight	48.06 pounds (21799.54 grams)
Square Meters Per Box	2.17
Square Meters Per Pallet	130.04
Square Feet Per Box	23.33
Square Feet Per Pallet	1399.8

Moldings



Multitrim
Coordinating
94" X 0.23" X 1.593"
(2388 mm X 5.842 mm X 40.481 mm)



Stair Nose
Coordinating
94" X 1.16" X 2"
(2388 mm X 25.4 mm X 50.80 mm)

Pescara 2252

Luxury Vinyl • Rapido

Accessories



701 Luxury Vinyl Adhesive - 4 U.S. Gallons

4 Gallons (15.14 Litres)

Porous: 1/16" x 1/16" x 1/16" V-notch Trowel

Non-Porous: 1/16" x 1/32" x 1/32" V-notch Trowel

Porous Coverage

680 - 760 sq.ft. / 4 Gallons (63 - 71 m² / 15 L)

Non-Porous Coverage

1,000 to 1,200 sq.ft. / 4 U.S. Gallons (93 to 112 m² / 15 L)

[🔗 Specifications - 701 Vinyl Flooring Adhesive](#)

[🔗 SDS - 701 Vinyl Flooring Adhesive](#)

[🔗 Label - 701 Vinyl Flooring Adhesive](#)