### **Benefits**

201101110	
Safe and healthy	Antimicrobial protective treatment to inhibit the growth of mold and mildew. Phthalates Free products meaning that they will not affect your quality of life FloorScore® Certified for compliance with rigorous indoor air quality requirements E1 Certified meaning that the product meets the European standard for indoor air quality Made of virgin PVC (no recycled content) ensuring a uniform composition that doesn't contain any harmful substances.
Performant and durable construction	Commercial abrasion resistance BLC Certified ® - Ensures that the floor covering you're buying surpasses industry quality standards.
Easy maintenance	Antimicrobial, anti-mold and anti-fungal Easy to clean Stain resistant, including pet stains
Easy and versatile Installation	Compatible with embedded radiant heating Glued installation for a permanent and sturdy setup Loose lay the planks for a fast installation and an easy repair Herringbone installation possible Can be installed on all floor levels, even on walls Coordinating moldings available
Notable look	Matte finish Designers' Choice - This product showcase the latest trends in terms of color variations Wide planks Mix and match colors for a bold look
Best-in-class Warranty	30 Days No Questions Asked Replacement
Quickship	Stock product for faster delivery



# **Product Specifications**

Market Segments

Brand Sub Category Collection Style Name Style Number Construction Format Abrasion Resistance Material Width **Total Thickness** Wear Layer Thickness Interlayer Backing Edges Locking System Finish **Top Surface** Gloss Pattern Repeat IIC STC Design Formaldehyde Length Certifications

Installation Methods

Builder, Hospitality, Pro, Residential, Senior Living, Workspace One2Floor I VP Turbo Zolder 2341 Luxury Vinyl Plank General Commercial Use Virgin PVC 7.25" (184.15 mm) 0.197" (5 mm) 0.0220" (0.5500 mm) Fiberglass Loose Lay 4-Sided Micro Bevel None Medium Embossed **UV-Cured Polyurethane** Matte 5 66 67 Oak E1 48" (1219.2 mm) FloorScore, E1 Certified, Phthalates Free, BLC Certification, QuickShip, Designers' Choice, Virgin PVC Loose Lay, Compatible with embedded radiant heating, Glued Luxury Vinyl Installation Guide (Loose Lay)

Wall Installation Guide - Luxury Vinyl



## Warranties

☑ Luxury Vinyl Warranty Guide

Luxury Vinyl Care & Maintenance Guide

Residential use

Manufacturing Defects Lifetime Fade Lifetime Waterproof Lifetime Petproof Lifetime No Questions Asked Replacement 30 days Wear Lifetime Manufacturing Defects

Stain Lifetime

Commercial use

Manufacturing Defects *15* Years Fade *15* Years Waterproof *Lifetime* Petproof *Lifetime* Wear *15* Years Stain *15* Years



# Packaging information

Units Per Box	8
Boxes Per Pallet	70
Box Weight	35.76 Pounds (16220.68 Grams)
Square Meters Per Box	1.80
Square Meters Per Pallet	125.71
Square Feet Per Box	19.33
Square Feet Per Pallet	1353.1

mm)

# Moldings



Coordinating 94" X 1.16" X 2" (2350 mm X 25.4 mm X 50.80 mm) (2350 mm X 5.842 mm X 40.481



### Accessories



### 701 Luxury Vinyl Adhesive - 4 U.S. Gallons 4 Gallons (15.14 Litres) 1/16" x 1/32" x 1/32" U-notch Trowel Non-Porous: 1/16" x 1/32" x 1/32" V-notch Trowel

#### Porous Coverage

680 - 760 sq.ft. / 4 Gallons (63 - 71  $\rm{m^2}$  / 15 L)

#### Non-Porous Coverage

1,000 to 1,200 sq.ft. / 4 U.S. Gallons (93 to 112  $\rm m^2$  / 15 L)

- Label 701 Vinyl Flooring Adhesive
- ☑ SDS 701 Vinyl Flooring Adhesive
- Specifications 701 Vinyl Flooring Adhesive

