## Alpha TQS1 Carpet Tiles • Modulyss

#### **Benefits**

Safe and healthy

Green Label Plus certified ensuring that you are purchasing the very lowest VOC-emitting products on the

narket

Improves indoor air quality by trapping particles, removing them from the breathing zone and reducing their

circulation

Slip Resistant

Cushion falls and reduces the risk of injury

Soft to the touch but also for the body thanks to its shock absorption capacity which helps limit damage to

muscles and articulations

Certified A+ - French regulation on VOCs (Volatile Organic Compounds) and on the obligatory labelling of

building products, floor and wall covering products, and paints and varnishes used inside buildings

**Environmentally-Friendly** 

GUT-NR certified - Strict standards, incentives to adopt eco-friendly solutions and objective information on

all aspects of carpet to benefit the environment and consumers.

Made with back2back backing which contains a minimum of 70% post industrial recycled content

Made with solution-dyed fibers a process that reduces significantly water consumption

Limitless designabilities

One of the most versatile floor coverings because you get to choose from a wide range of colors and textures

Easy to mix and match colors and designs for a personalized look

Warm, quiet and comfortable

Without a doubt, the most comfortable flooring

Greatest soundproofing and insulating properties

Reduces heat loss

Soft and warm to the touch

High performance

BREEAM is the world's leading sustainability assessment method for master planning projects, infrastructure

and buildings. It recognizes and reflects the value of higher-performing assets across the built environment

lifecycle, from new construction to refurbishment.

High-performing product made to withstand heavy traffic

Part of our Modulyss product offering, ideal for general commercial applications

Easy to install and repair

Easy installation with our 301 Carpet Tiles Adhesive

Modular floor covering for fast and easy repair when needed



Single Bulletin page 1 of 3

## Alpha TQS1 Carpet Tiles • Modulyss

### **Product Specifications**

**Market Segments** Hospitality, Pro, Workspace

Brand Modulyss Collection Modulyss Style Name Alpha Style Number TQS1 Colors Construction Tufted Loop

Format Tile

Fiber Type

100% BCF Solution Dyed Nylon

**Abrasion Resistance** Heavy commercial Use

Dye Method Solution Dyed

Pile Weight 14.75 oz./y² (500.0 g/m²) Pile Height 7/64 in (2.6 mm) Total Height 15/64 in (5.8 mm)

Backing Back2Back Modified Bitumen

Stitch Count 0 /in (0 /10 cm) Gauge 1/10 in (2.54 mm)

**Density Factor** 

Static Control Less Than 2.0 kV (AATCC 134) Flammability Meets DOC FF-1-70 & C.G.S.B. 4-GP-

Flooring Radiant Panel Class 1 (ASTM E-648)

**Indoor Air Quality** n/a

Dimension 19.7 x 19.7" (50 X 50 cm) Color Fastness Meets 5.0 AATCC 16

Certifications Green Label Plus, Certified A+,

BREEAM, GUT-NR

**Installation Methods** Quarter Turn, Monolithic, Brick

> **Modulyss Carpet Tiles Installation Guide**



#### Color Names & Numbers

#A553	A553	#A823	A823
#A942	A942	#A983	A983
#A989	A989	#A991	A991
#A215	A215	#A332	A332
#A340	A340	#A543	A543
#A552	A552	#A592	A592
#A606	A606	#A847	A847

#### Warranties

Modulyss Carpet Tiles Warranty Guide

☑ Modulyss Carpet Tiles Maintenance Guide

Commercial use

Colorfastness 15 Years Manufacturing Defects 15

Stain Resistance 15 Years Static Control 15 Years Wear Resistance 15 Years Edge Ravelling 15 Years Delamination Resistance 15

Dimensional Stability 15 Years Anti-Zippering 15 Years



page 2 of 3 Single Bulletin

# Alpha TQS1 Carpet Tiles • Modulyss

#### Colors



A553 **Dropped Product** 



#A823 A823 **Dropped Product** 



#A942 A942 **Dropped Product** 



A983 **Dropped Product** 



A989 **Dropped Product** 



#A991 A991 **Dropped Product** 

#A215		
A215		
Dropped Product		

#A332 A332 **Dropped Product** 

#A340 A340 **Dropped Product** 

#A543 A543 **Dropped Product** 

#A552 A552 **Dropped Product** 

#A592 A592

**Dropped Product** 

#A606 #A847 A606 A847

**Dropped Product Dropped Product** 

## Packaging information

Units Per Box **Boxes Per Pallet** 

47.42 Pounds (21509.97 Grams) **Box Weight** 

**Square Yards Per Box** 5.98 Square Meters Per Box 5.00 **Square Yards Per Pallet** 119.6 Square Meters Per Pallet 99.99

Single Bulletin page 3 of 3