

Gallo Xtra Laminate

Some products in this collection are
discontinued.

Benefits

Family friendly (including pet)

Easy to clean
Stain resistant, including pet stains
Budget-friendly
Water-resistant – 72-hour spill protection
Ultra-durable and scratch-resistant surface

Safe and healthy

FloorScore® Certified for compliance with rigorous indoor air quality requirements
TSCA Title VI is a new standard of the Environmental Protection Agency (EPA) for allowable emissions from adhesives used in composite wood products. This certification ensures that certain wood products have reduced exposure to formaldehyde vapors and that are compliant to the new standards of the EPA.

Performant and durable construction

Commercial abrasion resistance
BLC Certified @ - Ensures that the floor covering you're buying surpasses industry quality standards.
Ultra-durable and scratch-resistant surface

Easy maintenance

Easy to clean
Stain resistant, including pet stains
Water-resistant – 72-hour spill protection

Easy and versatile Installation

Floating installation
Compatible with embedded radiant heating
No telegraphing, even when installed over hard surface flooring
Matching moldings available
Can be installed on all floor levels, even on walls

Notable look

Wide and long planks
Matte finish

Best-in-class Warranty

30 Days No Questions Asked Replacement

Quickship

Stock product for faster delivery

Gallo Xtra Laminate

Product Specifications

Market Segments	Builder, Pro, Residential
Sub Category	Water-Resistant
Collection	Gallo Xtra
Construction	Laminate
Format	Plank
Abrasion Resistance	AC4 Class 32: General Commercial Use
Species	Oak
Width	7.68" (195 mm)
Total Thickness	0.327" (8.3 mm)
Core Thickness	n/a
Backing	n/a
Edges	4-Sided Micro Bevel & Wax
Locking System	Välinge 5G: Drop Lock
Attached Backing	No
Backing Thickness	None
Finish	Embossed
Top Surface	Aluminum Oxide
Gloss	Matte
Pattern Repeat	6
IIC	n/a
STC	n/a
Formaldehyde	TSCA Title VI
Length	47.835" (1215 mm)
Certifications	FloorScore, BLC Certification, QuickShip, TSCA Title VI Compliant
Installation Methods	Floating, Compatible with embedded radiant heating 🔗 Laminate Installation Guide (Drop Lock) 🔗 Wall Installation Guide - Laminate 🔗 Laminate Installation Video - Välinge 5G Locking System

Warranties

- [🔗 Laminate Warranty Guide](#)
- [🔗 Laminate Maintenance Guide](#)

Residential use	Stain <i>Lifetime</i> No Questions Asked Replacement <i>30 days</i> Manufacturing Defects <i>Lifetime</i> Fade <i>Lifetime</i> Wear <i>Lifetime</i>
Commercial use	Stain <i>5 Years</i> Manufacturing Defects <i>5 Years</i> Fade <i>5 Years</i> Wear <i>5 Years</i>
Light commercial use	Stain <i>15 Years</i> Manufacturing Defects <i>15 Years</i> Fade <i>15 Years</i> Wear <i>15 Years</i>

Gallo Xtra Laminate

Packaging information


Units Per Box	8
Boxes Per Pallet	70
Box Weight	31.21 pounds (14157.51 grams)
Square Meters Per Box	1.90
Square Meters Per Pallet	132.66
Square Feet Per Box	20.4
Square Feet Per Pallet	1428

Moldings




Flushmount Stair Nose - Round

Matching
94.488" X 0.945" X 2.756
(2400 mm X 24 mm X 70 mm)



Reducer

Matching
94.488" X 0.433" X 1.771"
(2400 mm X 11 mm X 45 mm)



T-Molding


Matching
94.488" X 0.354" X 1.771"
(2400 mm X 9 mm X 45 mm)

Gallo Xtra Laminate

Styles offered



#8080 (Plank)
Agostino Xtra
Embossed



#8081 (Plank)
Alboro Xtra
Embossed



#8082 (Plank)
Armoric Xtra
Embossed



#8083 (Plank)
Arzon Xtra
Embossed




#8084 (Plank)
Castello Xtra
Embossed



#8085 (Plank)
Gaelic Xtra
Embossed



#8086 (Plank)
Gondola Xtra
Embossed




#8087 (Plank)
Hermine Xtra
Embossed




#8088 (Plank)
Malo Xtra
Embossed
Limited Stock



#8089 (Plank)
Renzo Xtra
Embossed



#8090 (Plank)
Rialto Xtra
Embossed



#8091 (Plank)
Vaporetti Xtra
Embossed